

# SPEEDCHECK-15/18-HUB

StreetHub™ Radar Speed Sign with Remote Connectivity Data Sheet



Quality radar speed sign systems packed with features to maximize effectiveness:

- ✓ Large 15" or 18" LED digits with various static sign sizes
- ✓ Optional "SLOW DOWN" message, strobes and external beacons available
- ✓ High-contrast display provides the greatest readability at a distance
- ✓ Mobile app for iOS® and Android™
- ✓ Data collection with visualization and reporting software

Built-in wireless connectivity allows for remote, two-way communication:

- ✓ Includes monitoring unit upgrades and over-the-air software and security updates
- ✓ Glance™ cloud-based desktop/mobile software for programming, scheduling and system monitoring
- ✓ Backup battery ensures uninterrupted data collection
- ✓ Extended battery warranty matched to connectivity and support plan
- ✓ Out-of-the-box connectivity within minutes

## Fully Compliant, Ultra-clear Display

Compliant to MUTCD standards for legibility, including LED color, character and letter height. The bright LED displays use 15-inch and 18-inch digits against a background designed for high-contrast visibility that prevents "88" ghosting—ensuring readability in all weather and lighting conditions. The unique safety mask limits the viewing angle to prevent drivers from watching the display as they pass. The "SLOW DOWN" message can be programmed to flash at user-defined speed thresholds.

## Long-lasting, Reliable Operation

The LED display is housed within a durable, weatherproof aluminum unit and is shielded with a tough polycarbonate window for added vandalism protection. Every solar-powered model is solar-sized by location to ensure year-after-year operation. Carmanah includes a Solar Power Report to prove sustainability over a 12-month period.

## Easy Installation and Connectivity

The modular design makes it easy to repair using standard tools—without removing the device from the pole. The system comes factory prewired and pretested for remote communication—enabling cloud-based access within minutes. Carmanah's comprehensive support system includes product support technologists and our 24/7 on-demand [Product Support Center](#).



### SPEEDCHECK-15

15-inch digits for speeds less than 45 mph (70 km/h)

### SPEEDCHECK-18

18-inch digits for speeds equal/greater than 45 mph (70 km/h)



MUTCD compliant



Buy America compliant



Solar-sized for every location



Up to 1000 feet radar detection



GLANCE™ SOFTWARE

# SPEEDCHECK-15/18-HUB


## StreetHub™ Radar Speed Sign with Remote Connectivity

1.844.412.8395 | traffic@carmanah.com | carmanah.com




### LED DISPLAY

#### SPEEDCHECK-15



#### SPEEDCHECK-18



LED Display and Strobe	Meets MUTCD legibility standards for character height and LED color for roadways with speed limits under 45 mph and 45 mph and over Seven-segment digit design using amber LEDs LEDs automatically dim during nighttime operation, minimizing light bounce into neighboring windows Includes stealth mode for data collection
Radar	3rd-party tested radar detection range to 1000 ft. Single-direction, K Band Doppler radar (+/- 1 mph) with 12° radar beam width
Construction	Corrosion-resistant aluminum chassis with stainless steel hardware 1/4" polycarbonate window protects digital display from weather and vandalism


### OPTIONAL PRODUCT FEATURES

Slow Down	Flashes MUTCD-compliant "Slow Down" message when drivers exceed user-defined speed thresholds; available in yellow or red* LEDs
Outputs	Triggers external devices, such as flashing beacons, strobes, or cameras by speed threshold or schedule, or from centralized remote location Strobe*: rapid-flashing strobe with white LEDs or red/blue LEDs (for 15" display only) Beacons: 12 in (305 mm) or 8 in (203 mm) diameter LED modules, yellow or red
Inputs	Allows external devices to manage display operation with external contact closure and the included wiring harness


\* Not FHWA MUTCD compliant

### LED DISPLAY MOUNTS



#### Standard Banding or U-Bolt



#### Flat Bracket



### INCLUDED WITH EVERY SIGN

Software and Mobile App	Bluetooth SpeedCheck Manager <a href="#">mobile app</a> and <a href="#">PC software</a> for setup and programming, including calendar scheduling and data collection  
	<a href="#">Traffic Analyzer</a> software for data visualization and reporting
Warranty	3-year limited warranty on LED display Battery warranty matches selected connectivity and support plan
Support	Carmanah's North American product support technologists available for solution building, solar sizing and troubleshooting 24/7 access to Carmanah's online Product Support Center database

### "YOUR SPEED" STATIC SIGN

Sign	Meets MUTCD legibility standards for color, character and height
Sheeting	3M High Intensity Prismatic or Diamond Grade retroreflective sheeting and components
Color	Available in yellow, fluorescent yellow/green, white, and orange

#### SPEEDCHECK-15



30" x 30"  
(762 mm x 762 mm)



30" x 42"  
(762 mm x 1067 mm)

#### SPEEDCHECK-18



36" x 48"  
(914 mm x 1219 mm)



48" x 60"  
(1219 mm x 1524 mm)

### POWER OPTIONS


Solar	12 VDC operation, solar-sized to specific geographic location Includes 12-month Solar Power Report to ensure system reliability System designed for 5+ year battery life
AC	100-240 VAC in standard configurations

### BATTERY AND CONTROL CABINET


Construction	Weatherproof, gasketed cabinet with vents for ambient air transfer tested to NEMA 3R Corrosion-resistant aluminum chassis with stainless steel hardware Lockable, hinged door with #2 lock Optional padlockable latch Raw aluminum finish or yellow, black, or green powder coated
Dimensions	15.7" x 8.2" x 21.0" (399 mm x 208 mm x 534 mm)

### SOLAR PANELS AND MOUNTS

#### Top of Pole Mount



#### Side of Pole Mount



PANEL	LENGTH	WIDTH
50 W	26.3" (668 mm)	21.2" (538 mm)
80 W	30.7" (780 mm)	26.5" (672 mm)
170 W	59.1" (1500 mm)	26.3" (668 mm)

### LEARN MORE ABOUT THE PRODUCT

- [What's a Solar Power Report?](#)
- [Visit the Product Support Center](#)

Specifications subject to local environmental conditions, and may be subject to change.

All Carmanah products are manufactured in facilities that are certified to ISO quality standards.

"Carmanah" and Carmanah logo are trademarks of Carmanah Technologies Corp.

© 2023, Carmanah Technologies Corp.

Document: Carmanah\_DATA\_SPEEDCHECK-15-18-HUB\_RevB

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Carmanah Technologies is under license.

Other trademarks and trade names are those of their respective owners.

Glance is a trademark of Applied Information, Inc.

# SPEEDCHECK-15/18-HUB


## StreetHub™ Radar Speed Sign with Remote Connectivity

1.844.412.8395 | traffic@carmanah.com | carmanah.com



### CELLULAR CONNECTIVITY AND SOFTWARE

Monitoring Unit	Applied Information AI-500-070B (AI-500-071 in Florida) monitoring unit includes cellular modem with GPS, fully integrated and configured from the factory
	LTE wireless broadband network Hardware is upgradeable if service provider changes network requirements
	Prewired inputs and outputs to monitor radar speed sign, solar panel, battery, AC power, and system status
	Unit connects to the network every 15 minutes to ensure uptime
	Over-the-air software and security updates
	Non-volatile memory storage and battery backup in case of system power loss
	Meets NEMA TS 8 requirements for Cyber and Physical Security for Intelligent Transportation Systems
Scheduling and Monitoring Platform	8 x 5 x 2 in (203 x 127 x 51 mm)
	Glance™ cloud-based platform for remote radar speed sign scheduling and monitoring Compatible with desktop and mobile devices
	Programmable speed settings including speed limit, digit flashing speeds and more
	Easy-to-use calendar with up to 20 unique schedules and unlimited holidays, program delays and overrides
	Stores detailed traffic speed and system data including 85th percentile speeds, battery status, solar panel voltage, AC power status and more
	Configurable smart alerts through email and/or text of system issues
Connectivity and Support	Custom reports available
	1/2/3/4/5-year connectivity and support plans available



## CONNECTIVE CAPABILITIES

## GLANCE™ SOFTWARE: QUICK VIEW

### Display Setup and Programming

Scenario
Scheduling
Holidays & Exceptions
Program Delay
Radar

SFB\_Carlin Springs WB

KPH

Sign Mode: Always On
Speed Offset: 00
Speed Limit: 30
Steady Speed: 20
Flash Speed: 32
Slow Down: 45
Max Speed: 45
Brightness: Auto Manual 08

**OPERATING MODES**  
Configure the display's speed parameters: set the road's speed limit, the speeds that trigger the digits to flash and display the optional "SLOW DOWN" message, and the minimum and maximum display speeds.

Publish Radar

### Data Reporting, Visualization and Analysis

