CHEVRON-MX

Connected Chevron LED Signs

carmanah®
MX Series

Alert drivers to changes in horizontal alignment and reduce road departures with highly configurable, connected flashing signs.

✔ Every system ships with **3 years of free connectivity** and remote system access via MX Cloud™

✔ Ultra-bright simultaneous flash pattern

✔ Radar-activated, dusk-to-dawn, or 24/7 operation

✔ Flexible design allows system to be tailored to any curve

✔ Actionable email and text alerts

✔ 'Smart module' design and smartphone app provide easy installation and maintenance

✔ Solar Power Report (SPR) prepared for every location

Free out-of-the-box connectivity
All CHEVRON-MX systems have connectivity embedded into the hardware. From the moment a system receives power, it connects both locally to the MX Field App and remotely to MX Cloud, providing convenient remote access to system locations, statuses and settings.

Timely and actionable alerts
Cities can enable email and text alerts so they can know the minute there's an issue, be it a knockdown, dead battery or something else. Detailed location and module information reduce downtime and boost site visit efficiency while providing optimal citizen safety.

Comprehensive asset visibility and data collection
CHEVRON-MX systems can be outfitted with optional radar kit that triggers LEDs only when a vehicle is approaching. The radar can detect vehicles at up to 1,000 feet away, and can be customized for detection speed, sensitivity, vehicle direction, and more.

Long-lasting, reliable operation
Every CHEVRON-MX is built to last with durable, weatherproof aluminum construction and vandal-resistant wireless antennas. Solar-powered models are solar-sized to project locations, backed by a Solar Power Report (SPR) to prove year-round sustainability.

Buy America/
BABA compliant

WARRANTY 3 YEARS WARRANTY

3-year limited warranty

MX Series
Connective Capabilities

MX CLOUD
(REMOTE)

MX FIELD APP
(LOCAL)

What's a Solar Power Report™ (SPR)?

No matter where you install your solar-powered system, your product should be carefully sized for its location to ensure it will be operational for the long-term.

Over the last 20+ years, our engineers have developed a field-proven software simulation that helps us replicate the real-life conditions of your project location—and determine the best solar-powered solution for your project.

Learn more about our process at **carmanah.com/spr**

MX LED MODULE (W1-8 SIGN)

18 x 24"
457 mm x 610 mm

24 x 30"
609 mm x 762 mm

MX LED Sign Module	Meets MUTCD Standards for color, flash pattern, and dimming
	3M High Intensity Prismatic or Diamond Grade retroreflective sheeting and components
	UV-resistant polycarbonate channels and waterproof housings protect wiring; includes fully integrated junction box
	Up to 10 signs per linked network
Activation	Radar, dusk-to-dawn, or 24/7 flashing

MX LED SIGN MODULE MOUNTING

Single Sided

Double Sided

Banding

Bolt

Z-Bar

Double

RADAR DETECTION KIT

	24 GHz radar unit detects vehicles
	Radar technology for accurate detection at night and in adverse weather conditions
	Adjustable radar parameters, such as detection speed, sensitivity, trigger event settings and duration, and others
	3rd-party tested radar detection range to 1000 ft
	Universal bracket mounts to pole with standard banding, through bolts, U-bolts, band clamps, and more

ADVANCE WARNING SIGN

To enhance your horizontal alignment sign treatment, additional advance warning signs are available:

SPEEDCHECK-AS: Radar activated advisory speed sign

R247-MX: LED sign with static plaque

## INCLUDED WITH EVERY SYSTEM

MX Subscriptions	3 years out-of-the-box remote connectivity with MX Lite See all MX subscriptions
MX Cloud	MX Cloud for remote health status monitoring, email/SMS alerts, scheduling, asset management, programming and more
MX Field App	Bluetooth® mobile app for on-site setup, local access to default settings, calendar scheduling, system health status and more Download on the App Store GET IT ON Google Play
Warranty	3-year limited warranty on MX system
	1-year limited warranty on batteries
Support	Carmanah's North American product support technologists available for solution building, solar sizing and troubleshooting
	24/7 access to Carmanah's online Product Support Center

MX POWER MODULES

Solar	12 VDC operation, solar sized to specific geographic location. Includes 12-month Solar Power Report to ensure sustainability
	System designed for 5+ year battery life
	Replaceable, recyclable, sealed, maintenance-free AGM batteries offer the widest temperature range and longest life
AC (only MX 300/400)	100-240 VAC in standard configurations
Construction	Weatherproof, gasketed enclosure with vents for ambient air transfer (NEMA 3R)
	Lockable door. Cabinet systems include Type II lock option (standard for MX 400)
	Corrosion-resistant aluminum with stainless steel hardware
	Raw aluminum finish or black powder-coated

	MX 100	MX 200	MX 300	MX 400
Type	Integrated solar + battery	Integrated solar + battery	Separate solar + cabinet	Separate solar + cabinet
Housing Dimensions & Weight (w/o batteries)	12.6 x 13.6 x 5.3" 320 x 345 x 135 mm 5 lb (2.3 kg)	30 W version: 18.3 x 15.7 x 5.8" 465 x 399 x 147 mm 11 lb (5.0 kg) 50 W version: 18.3 x 26.3 x 5.8" 465 x 668 x 147 mm 14 lb (6.4 kg)	16.7 x 11.3 x 7.0" 424 x 287 x 178 mm 10 lb (4.5 kg) AC version weight: 12 lb (5.4 kg)	21.9 x 16.1 x 8.3" 556 x 409 x 211 mm 19 lb (8.6 kg) AC version weight: 21 lb (9.5 kg)
Mount Kits	Top of Pole Mount	Side of Pole Mount	Top of Pole Mount	Side of Pole Mount
	Universal solar mounts: • 2-2.5" perforated square posts • 2.38-2.88" OD round poles • 3.5-4.5" OD round poles • Side of pole		Cabinet mounts: • Standard banding • Through bolts • U-bolts (MX 400 only) Universal solar mounts: • 3.5-4.5" OD round poles • Side of pole	
Batteries	1-2x 7 Ah	1-2x 18 Ah	1x 18, 35 or 55 Ah	1x 35, 55 or 100 Ah
Solar	15 W	30 or 50 W	50, 80 or 170 W	50, 80 or 170 W
Solar Dimensions & Weights	See housing dimensions above	See housing dimensions above	50 W: 26.3 x 21.2" (668 x 538 mm) 10 lb (4.5 kg) 80 W: 30.7 x 26.5" (780 x 672 mm) 13 lb (5.9 kg) 170 W: 59.1 x 26.3" (1500 x 668 mm) 25 lb (11.3 kg)	

WIRELESS COMMUNICATION AND DATA COLLECTION

Local	MX Field App (Bluetooth®)
System-To-System	Linked MX systems flash in sync up to 1,000 ft (305 m) away
Remote	MX Cloud (cellular)
Location & Time	GPS